



ättaGard



Requires no permanent installation




Crash tested perimeter protection



Fast to deploy and reposition



Optimized for rental revenue





Meet ättaGard

Designed specifically for outdoor events and public spaces, ättaGard bollards offer high-performance perimeter protection, with none of the complexity.

ättaGard bollards are:

- Fast to deploy and reposition
- Temporary; they require no permanent installation
- Reliable in real-world conditions
- Flexible enough to adapt as plans change
- Where security must be visible, credible and controllable – without slowing teams down or disrupting flow – this is the crash tested protection you need.

Specs

ättaGard Bollard

Height: 49" (1245mm)
Cylinder Width: 10.75" (273mm)
Base (hexagon) 31.5" X 36.4" (800mm x 925mm)
Weight: 850 lbs (386kg)

ättaGard Connector

Height: 3/8" (9.5mm)
Width for passage: 36" (914mm)
Weight: 77 lbs (35kg)

ättaMover

Height: 71" (1803mm)
Width: 56" (1422mm)
Load Capacity: 1,102 lbs (500kg)





PU30/M30 BOLLARDS


Serious protection. Zero complexity.

The ättaGard bollard system gives your teams absolute control over temporary perimeters, without permanent infrastructure or specialist installation.


- Any crew can deploy and reposition in minutes (using ättaMover)
- Crash tested, verified perimeter protection
- ASTM PU30 (as a single unit)
- ASTM M30 (as a triple unit, with connector plates)
- Easily reconfigured as entrances, routes, and access points change
- Supports crowd flow, emergency access, and event aesthetics
- Integrates cleanly into municipal approvals and event safety plans
- Printed bollard covers create revenue opportunities for advertising at events

Endless configurations


ättaGard bollards can be arranged individually, in rows or offset to meet your event requirements.



Single lane working chicane to allow emergency vehicle access.



Single lane V placement can allow authorized vehicle access



Blocker with unlimited width enabling the quick and easy set-up of passage points for authorized vehicles

Contact Us

Canada:
53 Armstrong Avenue
Georgetown, Ontario, L7G 4S1

Phone: 289-891-8559
Toll Free: 844-891-8559
Fax: 905-248-3629

USA:
300 International Drive, Suite 100
PMB10086
Williamsville, New York, 14221

Email: info@ontariobollards.com



Scan to learn
more about ättaGard

www.anntbollards.com/product/attagard-bollard/
In partnership with Ontario Bollards Inc.